

Northwest River Forecast Center







May 2023 Water Supply Briefing

Telephone Conference: (213) 929-4212 Audio Access Code: 949-968-637#



Geoffrey Walters, PE NWRFC.watersupply@noaa.gov



*Audio PIN is provided when logging into the webinar and is required if you wish to ask questions at the end of presentation



Take Home Messages

Precipitation has been below normal and temperatures have been colder than normal this water year.

Despite below precipitation total, and due to colder temperatures, snowpack is near to above normal.

Recent warm weather is responsible for onset of snowmelt.

Water year adjusted runoff to date remains below normal. Runoff volumes as a percent of normal should increase throughout May due to snowmelt.

April-September volume forecasts for large tributaries to the Columbia River System are below normal, but smaller subbasins are a mix of above/below.

The Snake River forecasted contribution to annual volumes for the Columbia River System is projected to be above normal. Other large tributary contributions are projected to be near normal.

NWRFC Forecast Technique





Water Year Precipitation







Water Year Precipitation







Water Year Precipitation







Temperature - January to March



Temperature – April and Water Year to Date



Temperature – Recent Observations







Snowpack – SWE Peak Percent of Normal



Snow data from Natural Resources Conservation Service, BC Hydro, and Alberta Environment and Parks.









Quantitative Precipitation Forecast (QPF) Sources: Days 1 - 2 NWS Weather Forecast Offices (WFO) in the US, WPC in BC Days 3 - 7 NWS Weather Prediction Center (WPC) Days 8 - 10 NWS National Blend of Models (NBM)



Water Year to Date Adjusted Runoff



% Normal Runoff Oct 1- May 3rd

Upper Columbia Basin		<u>Δ since April 5</u>
Mica	67	-4
Duncan	70	-8
Queens Bay	57	4
Libby	63	-1
Hungry Horse	65	11
Grand Coulee	59	4
Snake River Basin		
American Falls	77	-1
Lucky Peak	79	19
Dworshak	57	9
Lower Granite	68	6
Lower Columbia Basin		
The Dalles	61	5

Water Year to Date Adjusted Runoff

% Normal Runoff Oct 1- May 3rd



Washington <u>Δ since April 5</u> Skagit nr Mt Vernon 63 Dungeness nr Sequim 59 Chehalis at Porter 71 7 Okanogan at Malott -5 57 Methow nr Pateros 62 5 Yakima at Parker 69 8 Walla Walla nr Touchet 90 Δ Oregon Willamette at Salem 68 12 Rogue at Raygold 67 Umatilla at Pendleton 84 23 Grande Ronde at Troy 70 Crooked nr Prineville 98 Owyhee Dam 115 **48**





% Normal Apr-Sep Volume

Upper Columbia	<u>Δ since April 5th</u>					
Mica	85	6				
Duncan	86	-1				
Queens Bay	87	7				
Libby	81	0				
Hungry Horse	93	8				
Grand Coulee	89	4				
Snake River Basi	n					
American Falls	122	4				
Lucky Peak	123	7				
Dworshak	105	4				
Lower Granite	104	10				
Lower Columbia Basin						
The Dalles	93	7				

Water Supply Forecasts (Natural)



% Normal Apr -Sep Volume

<u>Washington</u>		<u>Δ since April 5</u>
Skagit nr Mt Vernon	93	0
Dungeness nr Sequim	98	5
Chehalis at Porter	110	2
Okanogan at Malott	77	7
Methow nr Pateros	104	29
Yakima at Parker	101	7
Walla Walla nr Touchet	119	-6
Oregon		
Willamette at Salem	118	13
Rogue at Raygold	112	10
Umatilla at Pendleton	155	29
Grande Ronde R at Troy	117	9
Crooked nr Prineville	203	85
Owyhee Dam	183	96



COLUMBIA - GRAND COULEE DAM (GCDW1) Forecasts for Water Year 2023

Official Water Supply

ESP with 10 Days QPF Ensemble: 2023-05-03 Issued: 2023-05-03

		30 Year			
Forecast Period	90 %	50 %	% Average	10 %	Average (1991-2020)
APR-SEP	52095	54960	89	60978	61483
APR-JUL	43982	46590	88	52373	52774
APR-AUG	48484	51603	89	57939	58186
JAN-SEP	57116	59981	85	65999	70457
JAN-JUL	49003	51611	84	57394	61749
OCT-SEP	61980	64845	82	70862	78842

Experimental Water Supply

HEFS with 15 days EQPF Ensemble: 2023-05-03 Issued: 2023-05-03						
APR-SEP	51251	54472	89	60147	61483	
APR-JUL	43876	46650	88	52013	52774	
APR-AUG	48191	51563	89	57279	58186	
JAN-SEP	56272	59493	84	65168	70457	
JAN-JUL	48897	51671	84	57034	61749	
OCT-SEP	61136	64357	82	70032	78842	1

Reference ESP with 0 Days OPE Ensemble: 2023.05.03 Issued: 2023.05.03



www.nwrfc.noaa.gov/water supply/ws forecasts.php?id=GCDW1



44

SNAKE - LOWER GRANITE DAM (LGDW1) Forecasts for Water Year 2023

Official Water Supply

ESP with 10 Days QPF Ensemble: 2023-05-03 Issued: 2023-05-03

	Forecasts Are in KAF					
Forecast Period	90 %	50 %	% Average	10 %	Average (1991-2020)	
APR-SEP	22041	23180	104	26947	22232	
APR-JUL	19503	20654	104	24184	19946	
APR-AUG	20807	21969	104	25596	21121	
JAN-SEP	26167	27307	92	31074	29736	
JAN-JUL	23630	24781	90	28310	27450	
OCT-SEP	29636	30776	90	34543	34287	

Experimental Water Supply

				· · · · · · · · · · · · · · · · · · ·				
JAN-JUL	23630	24781	90	28310	27450	AF		
OCT-SEP	29636	30776	90	34543	34287	N,		
Experimental Water Supply								
HEFS with 15	days EQ	PF Ense	mble: 2023-0	05-03 Issu	red: 2023-05-03	No		
APR-SEP	21516	23075	104	26832	22232	a		
APR-JUL	18924	20462	103	24142	19946	sor		
APR-AUG	20248	21785	103	25522	21121	Sea		
JAN-SEP	25642	27202	91	30959	29736			
JAN-JUL	23051	24589	90	28268	27450			
OCT-SEP	29111	30671	89	34428	34287			

Reference

ESP with 0 Days QPF Ensemble: 2023-05-03 Issued: 2023-05-03						
APR-SEP	20721	22257	100	26133	22232	
APR-JUL	18254	19728	99	23382	19946	
APR-AUG	19531	21016	100	24785	21121	
JAN-SEP	24848	26384	89	30260	29736	
JAN-JUL	22381	23855	87	27509	27450	
OCT-SEP	28317	29853	87	33729	34287	

Water Supply Forecasts **SNAKE - LOWER GRANITE DAM** Period APR to SEP -- Water Year 2023



www.nwrfc.noaa.gov/water supply/ws forecasts.php?id=LGDW1



COLUMBIA - THE DALLES DAM (TDAO3) Forecasts for Water Year 2023

Official Water Supply

ESP with 10 Days QPF Ensemble: 2023-05-03 Issued: 2023-05-03

	Forecasts Are in KAF				30 Year	
Forecast Period	90 %	50 %	% Average	10 %	Average (1991-2020)	
APR-SEP	83356	87988	93	96385	94166	
APR-JUL	72190	76309	93	83897	81933	
APR-AUG	78646	83148	93	91526	89196	
JAN-SEP	94970	99601	86	107998	115946	
JAN-JUL	83804	87923	85	95511	103714	
OCT-SEP	105354	109985	83	118382	132314	

Experimental Water Supply

HEFS with 15 days EQPF Ensemble: 2023-05-03 Issued: 2023-05-03

APR-SEP	82139	88069	94	96761	94166
APR-JUL	71716	76733	94	84714	81933
APR-AUG	77641	83320	93	91615	89196
JAN-SEP	93752	99682	86	108375	115946
JAN-JUL	83330	88346	85	96328	103714
OCT-SEP	104136	110066	83	118759	132314

Reference

th 0 Dave OPE Enco

ECD.

Lor more	Days arr	LIISCHIL	10. 2023-03	-05 155ucu	. 2020-00-00
APR-SEP	79828	84822	90	94162	94166
APR-JUL	68494	73237	89	82377	81933
APR-AUG	75227	80207	90	89193	89196
JAN-SEP	91442	96436	83	105775	115946
JAN-JUL	80107	84851	82	93991	103714
OCT-SEP	101825	106819	81	116159	132314



www.nwrfc.noaa.gov/water supply/ws forecasts.php?id=TDAO3



Monthly Water Supply Forecasts





Monthly Water Supply Forecasts





ESP10 Sep-Oct Percent Contributions



Climate Prediction Center Seasonal Outlook



www.cpc.ncep.noaa.gov



Take Home Messages

Precipitation has been below normal and temperatures have been colder than normal this water year.

Despite below precipitation total, and due to colder temperatures, snowpack is near to above normal.

Recent warm weather is responsible for onset of snowmelt.

Water year adjusted runoff to date remains below normal. Runoff volumes as a percent of normal should increase throughout May due to snowmelt.

April-September volume forecasts for large tributaries to the Columbia River System are below normal, but smaller subbasins are a mix of above/below.

The Snake River forecasted contribution to annual volumes for the Columbia River System is projected to be above normal. Other large tributary contributions are projected to be near normal.



WY2023 Schedule for Live Water Supply Briefings

Jun 1st

All presentations held at 10:00 am Pacific Time unless noted otherwise

Telephone Conference Call Number (same for each month's brief): (213) 929 - 4212

Access Code : 949-968-637#



Questions?

If you have a question, use the 'Raise Hand' function we can unmute you or type your question in the chat.

To ask a question using your phone, enter the AUDIO PIN followed by the # sign. The AUDIO PIN was provided when you logged into the webinar. If you need to enter the PIN after you are connected, try #PIN#.

> NWRFC.watersupply@noaa.gov (503) 326-7291

